

Projekt: 1 1

/ 1

Podatki o projektu

Naslov : 1
Komponenta : 1
Št. načrta : 1
Gradbena faza : STENA LEVO

All total length of bar profiles outer dimension

PALIČNA ARMATURA				Jeklo: B500B						
				Gradbena faza: STENA LEVO						
Poz.	Kom.	fi	Dolžina	D12	D14	D16	D18	D22	D25	
38	100	16	0.680			68.000				
39	114	18	4.630*				527.820			
40	58	22	2.470*					143.260		
41	84	18	4.900				411.600			
42	16	12	4.340	69.440						
43	42	18	1.800				75.600			
44	42	14	1.790		75.180					
45	2	16	3.000			6.000				
46	2	16	3.410			6.820				
47	2	16	5.000			10.000				
48	2	16	6.240			12.480				
49	2	25	2.570						5.140	
50	2	25	2.470						4.940	
51	2	25	2.380						4.760	
52	2	25	2.290						4.580	
53	54	18	3.280*				177.120			
54	9	12	1.350	12.150						
55	9	12	1.350	12.150						
56	57	12	2.220	126.540						
57	57	12	2.210	125.970						
58	43	12	2.180	93.740						
59	16	12	4.650	74.400						

* = srednja

Skupna dolžina			514.390	75.180	103.300	1192.140	143.260	19.420
kg / m			D12 0.920	D14 1.242	D16 1.621	D18 2.020	D22 3.092	D25 3.951
kg / d			473.239	93.374	167.449	2408.123	442.960	76.728

Skupna masa (kg) 3661.873

Fiksne in standardne dolžine Jeklo: B500B Gradbena faza: STENA LEVO

fi(mm)	Skupna L	kg/m	Masa(kg)
16	28.480	1.621	46.166
18	1116.540	2.020	2255.411

Skupna masa (kg) 2301.577

strojno Jeklo: B500B Gradbena faza: STENA LEVO

fi(mm)	Skupna L	kg/m	Masa(kg)
12	514.390	0.920	473.239
14	75.180	1.242	93.374
16	74.820	1.621	121.283
18	75.600	2.020	152.712
22	143.260	3.092	442.960
25	19.420	3.951	76.728

Skupna masa (kg) 1360.296

Projekt: 1 1

/ 1

Povzetek izvlečka Jeklo: B500B Gradbena faza: STENA LEVO

Fiksne in standardne dolžine 2301.577
strojno 1360.296

Skupna masa (kg) 3661.873

Projekt: 1 1

/ 1










Podatki o projektu

Naslov : 1
Komponenta : 1
Št. načrta : 1
Gradbena faza : STENA LEVO

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: STENA LEVO																																																																																																																										
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																																																																																																												
						a	b	c	d	e	R	h																																																																																																														
38	16	0.680	100	4	00	0.400						0.140	0.140	68.000	110.228																																																																																																											
39	18	--	114	4	00	1.430								527.820	1066.196																																																																																																											
						<p style="text-align: center;">-a-</p> <table border="1"> <thead> <tr> <th>Poz.</th> <th>Kos.</th> <th>Dolžina</th> <th>-a-</th> </tr> </thead> <tbody> <tr><td>1</td><td>2</td><td>1.430</td><td>1.430</td></tr> <tr><td>2</td><td>2</td><td>1.540</td><td>1.540</td></tr> <tr><td>3</td><td>2</td><td>1.640</td><td>1.640</td></tr> <tr><td>4</td><td>2</td><td>1.740</td><td>1.740</td></tr> <tr><td>5</td><td>2</td><td>1.850</td><td>1.850</td></tr> <tr><td>6</td><td>2</td><td>1.950</td><td>1.950</td></tr> <tr><td>7</td><td>2</td><td>2.050</td><td>2.050</td></tr> <tr><td>8</td><td>2</td><td>2.160</td><td>2.160</td></tr> <tr><td>9</td><td>2</td><td>2.260</td><td>2.260</td></tr> <tr><td>10</td><td>2</td><td>2.360</td><td>2.360</td></tr> <tr><td>11</td><td>2</td><td>2.470</td><td>2.470</td></tr> <tr><td>12</td><td>2</td><td>2.570</td><td>2.570</td></tr> <tr><td>13</td><td>2</td><td>2.670</td><td>2.670</td></tr> <tr><td>14</td><td>2</td><td>2.780</td><td>2.780</td></tr> <tr><td>15</td><td>2</td><td>2.880</td><td>2.880</td></tr> <tr><td>16</td><td>2</td><td>2.990</td><td>2.990</td></tr> <tr><td>17</td><td>2</td><td>3.090</td><td>3.090</td></tr> <tr><td>18</td><td>2</td><td>3.190</td><td>3.190</td></tr> <tr><td>19</td><td>2</td><td>3.300</td><td>3.300</td></tr> <tr><td>20</td><td>2</td><td>3.400</td><td>3.400</td></tr> <tr><td>21</td><td>2</td><td>3.500</td><td>3.500</td></tr> <tr><td>22</td><td>2</td><td>3.610</td><td>3.610</td></tr> <tr><td>23</td><td>2</td><td>3.710</td><td>3.710</td></tr> <tr><td>24</td><td>2</td><td>3.810</td><td>3.810</td></tr> <tr><td>25</td><td>62</td><td>6.090</td><td>6.090</td></tr> <tr><td>26</td><td>4</td><td>6.190</td><td>6.190</td></tr> </tbody> </table>							Poz.	Kos.	Dolžina	-a-	1	2	1.430	1.430	2	2	1.540	1.540	3	2	1.640	1.640	4	2	1.740	1.740	5	2	1.850	1.850	6	2	1.950	1.950	7	2	2.050	2.050	8	2	2.160	2.160	9	2	2.260	2.260	10	2	2.360	2.360	11	2	2.470	2.470	12	2	2.570	2.570	13	2	2.670	2.670	14	2	2.780	2.780	15	2	2.880	2.880	16	2	2.990	2.990	17	2	3.090	3.090	18	2	3.190	3.190	19	2	3.300	3.300	20	2	3.400	3.400	21	2	3.500	3.500	22	2	3.610	3.610	23	2	3.710	3.710	24	2	3.810	3.810	25	62	6.090	6.090	26	4	6.190	6.190		
Poz.	Kos.	Dolžina	-a-																																																																																																																							
1	2	1.430	1.430																																																																																																																							
2	2	1.540	1.540																																																																																																																							
3	2	1.640	1.640																																																																																																																							
4	2	1.740	1.740																																																																																																																							
5	2	1.850	1.850																																																																																																																							
6	2	1.950	1.950																																																																																																																							
7	2	2.050	2.050																																																																																																																							
8	2	2.160	2.160																																																																																																																							
9	2	2.260	2.260																																																																																																																							
10	2	2.360	2.360																																																																																																																							
11	2	2.470	2.470																																																																																																																							
12	2	2.570	2.570																																																																																																																							
13	2	2.670	2.670																																																																																																																							
14	2	2.780	2.780																																																																																																																							
15	2	2.880	2.880																																																																																																																							
16	2	2.990	2.990																																																																																																																							
17	2	3.090	3.090																																																																																																																							
18	2	3.190	3.190																																																																																																																							
19	2	3.300	3.300																																																																																																																							
20	2	3.400	3.400																																																																																																																							
21	2	3.500	3.500																																																																																																																							
22	2	3.610	3.610																																																																																																																							
23	2	3.710	3.710																																																																																																																							
24	2	3.810	3.810																																																																																																																							
25	62	6.090	6.090																																																																																																																							
26	4	6.190	6.190																																																																																																																							
40	22	--	58	7	11	2.810	0.500							143.260	442.960																																																																																																											
						<p style="text-align: center;">-a-</p> <table border="1"> <thead> <tr> <th>Poz.</th> <th>Kos.</th> <th>Dolžina</th> <th>-a-</th> </tr> </thead> <tbody> <tr><td>1</td><td>10</td><td>3.310</td><td>2.810</td></tr> <tr><td>2</td><td>4</td><td>3.160</td><td>2.660</td></tr> <tr><td>3</td><td>4</td><td>3.000</td><td>2.500</td></tr> <tr><td>4</td><td>4</td><td>2.840</td><td>2.340</td></tr> <tr><td>5</td><td>4</td><td>2.690</td><td>2.190</td></tr> <tr><td>6</td><td>4</td><td>2.530</td><td>2.030</td></tr> <tr><td>7</td><td>4</td><td>2.370</td><td>1.870</td></tr> <tr><td>8</td><td>4</td><td>2.220</td><td>1.720</td></tr> <tr><td>9</td><td>4</td><td>2.060</td><td>1.560</td></tr> <tr><td>10</td><td>4</td><td>1.910</td><td>1.410</td></tr> <tr><td>11</td><td>4</td><td>1.750</td><td>1.250</td></tr> <tr><td>12</td><td>4</td><td>1.590</td><td>1.090</td></tr> <tr><td>13</td><td>4</td><td>1.440</td><td>0.940</td></tr> </tbody> </table>							Poz.	Kos.	Dolžina	-a-	1	10	3.310	2.810	2	4	3.160	2.660	3	4	3.000	2.500	4	4	2.840	2.340	5	4	2.690	2.190	6	4	2.530	2.030	7	4	2.370	1.870	8	4	2.220	1.720	9	4	2.060	1.560	10	4	1.910	1.410	11	4	1.750	1.250	12	4	1.590	1.090	13	4	1.440	0.940																																																						
Poz.	Kos.	Dolžina	-a-																																																																																																																							
1	10	3.310	2.810																																																																																																																							
2	4	3.160	2.660																																																																																																																							
3	4	3.000	2.500																																																																																																																							
4	4	2.840	2.340																																																																																																																							
5	4	2.690	2.190																																																																																																																							
6	4	2.530	2.030																																																																																																																							
7	4	2.370	1.870																																																																																																																							
8	4	2.220	1.720																																																																																																																							
9	4	2.060	1.560																																																																																																																							
10	4	1.910	1.410																																																																																																																							
11	4	1.750	1.250																																																																																																																							
12	4	1.590	1.090																																																																																																																							
13	4	1.440	0.940																																																																																																																							

Projekt: 1 1

/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: STENA LEVO																																		
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																				
						a	b	c	d	e	R	h																						
41	18	4.900	84	4	00	4.900							411.600	831.432																				
																																		
42	12	4.340	16	4	67	4.340					788.489		69.440	63.885																				
																																		
43	18	1.800	42	4	21	0.700	0.400	0.700					75.600	152.712																				
																																		
44	14	1.790	42	4	99								75.180	93.374																				
						 <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>-0.700</td> <td>-0.008</td> <td>0.700</td> <td>73</td> </tr> <tr> <td>2</td> <td>-0.118</td> <td>-0.398</td> <td>0.390</td> <td>107</td> </tr> <tr> <td>3</td> <td>0.715</td> <td>0.000</td> <td>0.700</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	-0.700	-0.008	0.700	73	2	-0.118	-0.398	0.390	107	3	0.715	0.000	0.700			
Št.	dx	dy	l	>°																														
1	-0.700	-0.008	0.700	73																														
2	-0.118	-0.398	0.390	107																														
3	0.715	0.000	0.700																															
45	16	3.000	2	4	00	3.000							6.000	9.726																				
																																		
46	16	3.410	2	4	25	1.000	1.410	1.000	0.990	0.830			6.820	11.055																				
																																		
47	16	5.000	2	4	00	5.000							10.000	16.210																				
																																		
48	16	6.240	2	4	00	6.240							12.480	20.230																				
																																		
49	25	2.570	2	7	99								5.140	20.308																				
						 <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.000</td> <td>0.000</td> <td>1.000</td> <td>62</td> </tr> <tr> <td>2</td> <td>0.406</td> <td>0.771</td> <td>0.870</td> <td>90</td> </tr> <tr> <td>3</td> <td>-0.619</td> <td>0.326</td> <td>0.700</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	1.000	0.000	1.000	62	2	0.406	0.771	0.870	90	3	-0.619	0.326	0.700			
Št.	dx	dy	l	>°																														
1	1.000	0.000	1.000	62																														
2	0.406	0.771	0.870	90																														
3	-0.619	0.326	0.700																															

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: STENA LEVO																																																																																						
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																																																																								
						a	b	c	d	e	R	h																																																																										
50	25	2.470	2	7	25	1.000	0.770	0.700	0.880	0.700			4.940	19.518																																																																								
51	25	2.380	2	7	99								4.760	18.807																																																																								
						<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.000</td> <td>0.000</td> <td>1.000</td> <td>62</td> </tr> <tr> <td>2</td> <td>0.321</td> <td>0.610</td> <td>0.680</td> <td>90</td> </tr> <tr> <td>3</td> <td>-0.619</td> <td>0.326</td> <td>0.700</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	1.000	0.000	1.000	62	2	0.321	0.610	0.680	90	3	-0.619	0.326	0.700																																																							
Št.	dx	dy	l	>°																																																																																		
1	1.000	0.000	1.000	62																																																																																		
2	0.321	0.610	0.680	90																																																																																		
3	-0.619	0.326	0.700																																																																																			
52	25	2.290	2	7	99								4.580	18.096																																																																								
						<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.000</td> <td>0.000</td> <td>1.000</td> <td>62</td> </tr> <tr> <td>2</td> <td>0.279</td> <td>0.530</td> <td>0.590</td> <td>90</td> </tr> <tr> <td>3</td> <td>-0.619</td> <td>0.326</td> <td>0.700</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	1.000	0.000	1.000	62	2	0.279	0.530	0.590	90	3	-0.619	0.326	0.700																																																							
Št.	dx	dy	l	>°																																																																																		
1	1.000	0.000	1.000	62																																																																																		
2	0.279	0.530	0.590	90																																																																																		
3	-0.619	0.326	0.700																																																																																			
53	18	--	54	4	00	0.900							177.120	357.782																																																																								
						<p style="text-align: center;">-a-</p> <table border="1"> <thead> <tr> <th>Poz.</th> <th>Kos.</th> <th>Dolžina</th> <th>-a-</th> </tr> </thead> <tbody> <tr><td>1</td><td>2</td><td>0.900</td><td>0.900</td></tr> <tr><td>2</td><td>2</td><td>1.120</td><td>1.120</td></tr> <tr><td>3</td><td>2</td><td>1.340</td><td>1.340</td></tr> <tr><td>4</td><td>2</td><td>1.560</td><td>1.560</td></tr> <tr><td>5</td><td>2</td><td>1.780</td><td>1.780</td></tr> <tr><td>6</td><td>2</td><td>2.000</td><td>2.000</td></tr> <tr><td>7</td><td>2</td><td>2.220</td><td>2.220</td></tr> <tr><td>8</td><td>2</td><td>2.440</td><td>2.440</td></tr> <tr><td>9</td><td>2</td><td>2.660</td><td>2.660</td></tr> <tr><td>10</td><td>2</td><td>2.880</td><td>2.880</td></tr> <tr><td>11</td><td>2</td><td>3.100</td><td>3.100</td></tr> <tr><td>12</td><td>2</td><td>3.320</td><td>3.320</td></tr> <tr><td>13</td><td>2</td><td>3.540</td><td>3.540</td></tr> <tr><td>14</td><td>2</td><td>3.760</td><td>3.760</td></tr> <tr><td>15</td><td>2</td><td>3.980</td><td>3.980</td></tr> <tr><td>16</td><td>2</td><td>4.200</td><td>4.200</td></tr> <tr><td>17</td><td>22</td><td>4.350</td><td>4.350</td></tr> </tbody> </table>							Poz.	Kos.	Dolžina	-a-	1	2	0.900	0.900	2	2	1.120	1.120	3	2	1.340	1.340	4	2	1.560	1.560	5	2	1.780	1.780	6	2	2.000	2.000	7	2	2.220	2.220	8	2	2.440	2.440	9	2	2.660	2.660	10	2	2.880	2.880	11	2	3.100	3.100	12	2	3.320	3.320	13	2	3.540	3.540	14	2	3.760	3.760	15	2	3.980	3.980	16	2	4.200	4.200	17	22	4.350	4.350		
Poz.	Kos.	Dolžina	-a-																																																																																			
1	2	0.900	0.900																																																																																			
2	2	1.120	1.120																																																																																			
3	2	1.340	1.340																																																																																			
4	2	1.560	1.560																																																																																			
5	2	1.780	1.780																																																																																			
6	2	2.000	2.000																																																																																			
7	2	2.220	2.220																																																																																			
8	2	2.440	2.440																																																																																			
9	2	2.660	2.660																																																																																			
10	2	2.880	2.880																																																																																			
11	2	3.100	3.100																																																																																			
12	2	3.320	3.320																																																																																			
13	2	3.540	3.540																																																																																			
14	2	3.760	3.760																																																																																			
15	2	3.980	3.980																																																																																			
16	2	4.200	4.200																																																																																			
17	22	4.350	4.350																																																																																			
54	12	1.350	9	4	21	0.600	0.150	0.600					12.150	11.178																																																																								

Projekt: 1 1

/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: STENA LEVO																																							
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																									
						a	b	c	d	e	R	h																											
55	12	1.350	9	4	21	0.600	0.150	0.600					12.150	11.178																									
56	12	2.220	57	4	99								126.540	116.417																									
						<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.228</td> <td>0.000</td> <td>1.220</td> <td>91</td> </tr> <tr> <td>2</td> <td>-0.025</td> <td>1.001</td> <td>1.000</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	1.228	0.000	1.220	91	2	-0.025	1.001	1.000													
Št.	dx	dy	l	>°																																			
1	1.228	0.000	1.220	91																																			
2	-0.025	1.001	1.000																																				
57	12	2.210	57	4	99								125.970	115.892																									
						<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0.005</td> <td>-0.208</td> <td>0.200</td> <td>89</td> </tr> <tr> <td>2</td> <td>1.229</td> <td>0.000</td> <td>1.220</td> <td>91</td> </tr> <tr> <td>3</td> <td>-0.005</td> <td>0.200</td> <td>0.190</td> <td>89</td> </tr> <tr> <td>4</td> <td>-0.600</td> <td>-0.000</td> <td>0.600</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	0.005	-0.208	0.200	89	2	1.229	0.000	1.220	91	3	-0.005	0.200	0.190	89	4	-0.600	-0.000	0.600			
Št.	dx	dy	l	>°																																			
1	0.005	-0.208	0.200	89																																			
2	1.229	0.000	1.220	91																																			
3	-0.005	0.200	0.190	89																																			
4	-0.600	-0.000	0.600																																				
58	12	2.180	43	4	99								93.740	86.241																									
						<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.000</td> <td>0.000</td> <td>1.000</td> <td>89</td> </tr> <tr> <td>2</td> <td>0.005</td> <td>0.200</td> <td>0.190</td> <td>91</td> </tr> <tr> <td>3</td> <td>-1.000</td> <td>0.000</td> <td>0.990</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	1.000	0.000	1.000	89	2	0.005	0.200	0.190	91	3	-1.000	0.000	0.990								
Št.	dx	dy	l	>°																																			
1	1.000	0.000	1.000	89																																			
2	0.005	0.200	0.190	91																																			
3	-1.000	0.000	0.990																																				
59	12	4.650	16	4	67	4.650					788.489	74.400	68.448																										

Skupna masa (kg) 3661.873