

Projekt: 1 1

/ 1

Podatki o projektu

Naslov : 1
Komponenta : 1
Št. načrta : 1
Gradbena faza : STENA DESNO

All total length of bar profiles outer dimension

PALIČNA ARMATURA Jeklo: B500B Gradbena faza: STENA DESNO									
Poz.	Kom.	fi	Dolžina	D12	D14	D16	D18	D22	D25
22	100	16	0.680			68.000			
23	58	22	2.470*					143.260	
24	56	18	4.100				229.600		
25	52	14	1.800		93.600				
26	52	14	1.810		94.120				
27	56	18	3.250				182.000		
28	22	12	3.760	82.720					
29	2	25	2.570						5.140
30	2	25	2.470						4.940
31	2	25	2.380						4.760
32	2	25	2.290						4.580
33	44	18	3.730				164.120		
34	44	18	4.000				176.000		
35	26	12	2.620	68.120					
36	26	12	2.610	67.860					
37	20	14	2.180		43.600				

* = srednja

Skupna dolžina		218.700	231.320	68.000	751.720	143.260	19.420
kg / m		D12 0.920	D14 1.242	D16 1.621	D18 2.020	D22 3.092	D25 3.951
kg / d		201.204	287.299	110.228	1518.474	442.960	76.728

Skupna masa (kg) 2636.893

Fiksne in standardne dolžine Jeklo: B500B Gradbena faza: STENA DESNO

fi(mm)	Skupna L	kg/m	Masa(kg)
12	82.720	0.920	76.102
18	411.600	2.020	831.432

Skupna masa (kg) 907.534

strojno Jeklo: B500B Gradbena faza: STENA DESNO

fi(mm)	Skupna L	kg/m	Masa(kg)
12	135.980	0.920	125.102
14	231.320	1.242	287.299
16	68.000	1.621	110.228
18	340.120	2.020	687.042
22	143.260	3.092	442.960
25	19.420	3.951	76.728

Skupna masa (kg) 1729.359

Povzetek izvlečka Jeklo: B500B Gradbena faza: STENA DESNO

Fiksne in standardne dolžine 907.534

strojno 1729.359

Skupna masa (kg) 2636.893

Projekt: 1 1

/ 1

Povzetek izvlečka Jeklo: B500B Gradbena faza: STENA DESNO

Projekt: 1 1

/ 1

Podatki o projektu








Naslov : 1
Komponenta : 1
Št. načrta : 1
Gradbena faza : STENA DESNO

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: STENA DESNO

Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																																																								
						a	b	c	d	e	R	h																																																										
22	16	0.680	100	4	00	0.400						0.140	0.140	68.000	110.228																																																							
23	22	--	58	7	11	2.810	0.500							143.260	442.960																																																							
						<table border="1"> <thead> <tr> <th>Poz.</th> <th>Kos.</th> <th>Dolžina</th> <th>-a-</th> </tr> </thead> <tbody> <tr><td>1</td><td>10</td><td>3.310</td><td>2.810</td></tr> <tr><td>2</td><td>4</td><td>3.160</td><td>2.660</td></tr> <tr><td>3</td><td>4</td><td>3.000</td><td>2.500</td></tr> <tr><td>4</td><td>4</td><td>2.840</td><td>2.340</td></tr> <tr><td>5</td><td>4</td><td>2.690</td><td>2.190</td></tr> <tr><td>6</td><td>4</td><td>2.530</td><td>2.030</td></tr> <tr><td>7</td><td>4</td><td>2.370</td><td>1.870</td></tr> <tr><td>8</td><td>4</td><td>2.220</td><td>1.720</td></tr> <tr><td>9</td><td>4</td><td>2.060</td><td>1.560</td></tr> <tr><td>10</td><td>4</td><td>1.910</td><td>1.410</td></tr> <tr><td>11</td><td>4</td><td>1.750</td><td>1.250</td></tr> <tr><td>12</td><td>4</td><td>1.590</td><td>1.090</td></tr> <tr><td>13</td><td>4</td><td>1.440</td><td>0.940</td></tr> </tbody> </table>							Poz.	Kos.	Dolžina	-a-	1	10	3.310	2.810	2	4	3.160	2.660	3	4	3.000	2.500	4	4	2.840	2.340	5	4	2.690	2.190	6	4	2.530	2.030	7	4	2.370	1.870	8	4	2.220	1.720	9	4	2.060	1.560	10	4	1.910	1.410	11	4	1.750	1.250	12	4	1.590	1.090	13	4	1.440	0.940		
Poz.	Kos.	Dolžina	-a-																																																																			
1	10	3.310	2.810																																																																			
2	4	3.160	2.660																																																																			
3	4	3.000	2.500																																																																			
4	4	2.840	2.340																																																																			
5	4	2.690	2.190																																																																			
6	4	2.530	2.030																																																																			
7	4	2.370	1.870																																																																			
8	4	2.220	1.720																																																																			
9	4	2.060	1.560																																																																			
10	4	1.910	1.410																																																																			
11	4	1.750	1.250																																																																			
12	4	1.590	1.090																																																																			
13	4	1.440	0.940																																																																			
24	18	4.100	56	4	00	4.100								229.600	463.792																																																							
25	14	1.800	52	4	21	0.700	0.400	0.700						93.600	116.251																																																							
26	14	1.810	52	4	99									94.120	116.897																																																							
						<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> <th>r</th> <th>chord</th> <th>oblika</th> <th>Kot</th> </tr> </thead> <tbody> <tr><td>1</td><td>-0.264</td><td>-0.648</td><td>0.700</td><td>111</td><td>13.349</td><td>0.700</td><td>0.005</td><td>3</td></tr> <tr><td>2</td><td>0.411</td><td>0.000</td><td>0.410</td><td>69</td><td></td><td></td><td></td><td></td></tr> <tr><td>3</td><td>0.272</td><td>0.645</td><td>0.700</td><td></td><td>12.964</td><td>0.700</td><td>0.005</td><td>3</td></tr> </tbody> </table>							Št.	dx	dy	l	>°	r	chord	oblika	Kot	1	-0.264	-0.648	0.700	111	13.349	0.700	0.005	3	2	0.411	0.000	0.410	69					3	0.272	0.645	0.700		12.964	0.700	0.005	3																						
Št.	dx	dy	l	>°	r	chord	oblika	Kot																																																														
1	-0.264	-0.648	0.700	111	13.349	0.700	0.005	3																																																														
2	0.411	0.000	0.410	69																																																																		
3	0.272	0.645	0.700		12.964	0.700	0.005	3																																																														
27	18	3.250	56	4	00	3.250								182.000	367.640																																																							




Projekt: 1 1

/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: STENA DESNO																																		
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																				
						a	b	c	d	e	R	h																						
28	12	3.760	22	4	00	3.760							82.720	76.102																				
																																		
29	25	2.570	2	7	99								5.140	20.308																				
						<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.000</td> <td>0.000</td> <td>1.000</td> <td>62</td> </tr> <tr> <td>2</td> <td>0.406</td> <td>0.771</td> <td>0.870</td> <td>90</td> </tr> <tr> <td>3</td> <td>-0.619</td> <td>0.326</td> <td>0.700</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	1.000	0.000	1.000	62	2	0.406	0.771	0.870	90	3	-0.619	0.326	0.700			
Št.	dx	dy	l	>°																														
1	1.000	0.000	1.000	62																														
2	0.406	0.771	0.870	90																														
3	-0.619	0.326	0.700																															
30	25	2.470	2	7	25	1.000	0.770	0.700	0.880	0.700			4.940	19.518																				
																																		
31	25	2.380	2	7	99								4.760	18.807																				
						<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.000</td> <td>0.000</td> <td>1.000</td> <td>62</td> </tr> <tr> <td>2</td> <td>0.321</td> <td>0.610</td> <td>0.680</td> <td>90</td> </tr> <tr> <td>3</td> <td>-0.619</td> <td>0.326</td> <td>0.700</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	1.000	0.000	1.000	62	2	0.321	0.610	0.680	90	3	-0.619	0.326	0.700			
Št.	dx	dy	l	>°																														
1	1.000	0.000	1.000	62																														
2	0.321	0.610	0.680	90																														
3	-0.619	0.326	0.700																															
32	25	2.290	2	7	99								4.580	18.096																				
						<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.000</td> <td>0.000</td> <td>1.000</td> <td>62</td> </tr> <tr> <td>2</td> <td>0.279</td> <td>0.530</td> <td>0.590</td> <td>90</td> </tr> <tr> <td>3</td> <td>-0.619</td> <td>0.326</td> <td>0.700</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	1.000	0.000	1.000	62	2	0.279	0.530	0.590	90	3	-0.619	0.326	0.700			
Št.	dx	dy	l	>°																														
1	1.000	0.000	1.000	62																														
2	0.279	0.530	0.590	90																														
3	-0.619	0.326	0.700																															
33	18	3.730	44	4	67	3.730					12.953		164.120	331.522																				
																																		
34	18	4.000	44	4	67	4.000					13.332		176.000	355.520																				
																																		

Projekt: 1 1

/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: STENA DESNO																																							
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																									
						a	b	c	d	e	R	h																											
35	12	2.620	26	4	99	 <table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0.009</td> <td>-0.213</td> <td>0.210</td> <td>88</td> </tr> <tr> <td>2</td> <td>1.630</td> <td>0.000</td> <td>1.620</td> <td>92</td> </tr> <tr> <td>3</td> <td>-0.008</td> <td>0.200</td> <td>0.190</td> <td>88</td> </tr> <tr> <td>4</td> <td>-0.600</td> <td>0.000</td> <td>0.600</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	0.009	-0.213	0.210	88	2	1.630	0.000	1.620	92	3	-0.008	0.200	0.190	88	4	-0.600	0.000	0.600		68.120	62.670
Št.	dx	dy	l	>°																																			
1	0.009	-0.213	0.210	88																																			
2	1.630	0.000	1.620	92																																			
3	-0.008	0.200	0.190	88																																			
4	-0.600	0.000	0.600																																				
36	12	2.610	26	4	99	 <table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.628</td> <td>0.000</td> <td>1.620</td> <td>92</td> </tr> <tr> <td>2</td> <td>-0.042</td> <td>0.999</td> <td>0.990</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	1.628	0.000	1.620	92	2	-0.042	0.999	0.990		67.860	62.431										
Št.	dx	dy	l	>°																																			
1	1.628	0.000	1.620	92																																			
2	-0.042	0.999	0.990																																				
37	14	2.180	20	4	99	 <table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.000</td> <td>0.000</td> <td>0.990</td> <td>92</td> </tr> <tr> <td>2</td> <td>-0.008</td> <td>0.200</td> <td>0.190</td> <td>88</td> </tr> <tr> <td>3</td> <td>-1.000</td> <td>0.000</td> <td>1.000</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	1.000	0.000	0.990	92	2	-0.008	0.200	0.190	88	3	-1.000	0.000	1.000		43.600	54.151					
Št.	dx	dy	l	>°																																			
1	1.000	0.000	0.990	92																																			
2	-0.008	0.200	0.190	88																																			
3	-1.000	0.000	1.000																																				

Skupna masa (kg) 2636.894