

Projekt: 1 1

/ 1

Podatki o projektu

Naslov : 1
Komponenta : 1
Št. načrta : 1
Gradbena faza : PREKLADNA KONSTRUKCIJA

All total length of bar profiles outer dimension

PALIČNA ARMATURA				Jeklo: B500B						Gradbena faza: PREKLADNA KONSTRUKCIJA					
Poz.	Kom.	fi	Dolžina	D14	D16	D18	D20	D22	D25						
1	290	18	9.000*			2610.000									
2	78	22	12.000					936.000							
3	145	18	9.600			1392.000									
4	290	16	3.740		1084.600										
5	156	18	4.280*			667.680									
6	39	22	5.900					230.100							
7	39	22	5.900					230.100							
8	78	25	6.000						468.000						
9	78	25	6.000						468.000						
10	39	18	12.000			468.000									
11	78	22	6.000					468.000							
12	78	22	6.000					468.000							
13	62	16	6.000		372.000										
14	80	16	8.600		688.000										
15	148	14	2.120	313.760											
16	145	18	3.000			435.000									
17	40	20	5.700				228.000								
18	10	18	2.900			29.000									
19	10	18	2.900			29.000									
20	10	18	2.900			29.000									
21	10	18	2.900			29.000									
22	10	16	3.200		32.000										
23	40	20	5.500				220.000								
24	10	16	3.200		32.000										
25	9	16	3.200		28.800										
26	8	16	3.200		25.600										
27	9	18	2.890			26.010									
28	9	18	2.900			26.100									
29	8	18	2.900			23.200									
30	8	18	2.900			23.200									
31	124	14	2.780	344.720											

* = srednja

Skupna dolžina		658.480	2263.000	5787.190	448.000	2332.200	936.000
kg / m		D14 1.242	D16 1.621	D18 2.020	D20 2.470	D22 3.092	D25 3.951
kg / d		817.832	3668.323	11690.124	1106.560	7211.162	3698.136

Skupna masa (kg) 28192.137

Fiksne in standardne dolžine Jeklo: B500B Gradbena faza: PREKLADNA KONSTRUKCIJA

fi(mm)	Skupna L	kg/m	Masa(kg)
16	1060.000	1.621	1718.260
18	1827.000	2.020	3690.540
20	448.000	2.470	1106.560
22	936.000	3.092	2894.112

Skupna masa (kg) 9409.472

Projekt: 1 1

/ 1

strojno Jeklo: B500B Gradbena faza: PREKLADNA KONSTRUKCIJA

fi(mm)	Skupna L	kg/m	Masa(kg)
14	658.480	1.242	817.832
16	1203.000	1.621	1950.063
18	3960.190	2.020	7999.584
22	1396.200	3.092	4317.050
25	936.000	3.951	3698.136

Skupna masa (kg) 18782.665

Povzetek izvlečka Jeklo: B500B Gradbena faza: PREKLADNA KONSTRUKCIJA

Fiksne in standardne dolžine 9409.472

strojno 18782.665

Skupna masa (kg) 28192.137

Projekt: 1 1

/ 1

Podatki o projektu

Naslov : 1
Komponenta : 1
Št. načrta : 1
Gradbena faza : PREKLADNA KONSTRUKCIJA

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: PREKLADNA KONSTRUKCIJA																																																						
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																																								
						a	b	c	d	e	R	h																																										
1	18	--	290	4	99	<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.000</td><td>0.200</td><td>0.200</td><td>90</td></tr> <tr><td>2</td><td>-0.550</td><td>0.000</td><td>0.550</td><td>89</td></tr> <tr><td>3</td><td>-0.033</td><td>-1.310</td><td>1.300</td><td>91</td></tr> <tr><td>4</td><td>5.712</td><td>0.000</td><td>5.710</td><td>89</td></tr> <tr><td>5</td><td>0.033</td><td>1.310</td><td>1.300</td><td>91</td></tr> <tr><td>6</td><td>-0.551</td><td>0.000</td><td>0.550</td><td>89</td></tr> <tr><td>7</td><td>-0.005</td><td>-0.200</td><td>0.200</td><td></td></tr> </tbody> </table>							Št.	dx	dy	l	>°	1	0.000	0.200	0.200	90	2	-0.550	0.000	0.550	89	3	-0.033	-1.310	1.300	91	4	5.712	0.000	5.710	89	5	0.033	1.310	1.300	91	6	-0.551	0.000	0.550	89	7	-0.005	-0.200	0.200		2610.000	5272.200
Št.	dx	dy	l	>°																																																		
1	0.000	0.200	0.200	90																																																		
2	-0.550	0.000	0.550	89																																																		
3	-0.033	-1.310	1.300	91																																																		
4	5.712	0.000	5.710	89																																																		
5	0.033	1.310	1.300	91																																																		
6	-0.551	0.000	0.550	89																																																		
7	-0.005	-0.200	0.200																																																			
Poz.	Kos.	Dolžina	-3-	-5-																																																		
1	4	9.804	1.299	1.299																																																		
2	14	9.824	1.309	1.309																																																		
3	2	9.784	1.289	1.289																																																		
4	2	9.744	1.269	1.269																																																		
5	2	9.704	1.249	1.249																																																		
6	2	9.664	1.229	1.229																																																		
7	2	9.604	1.199	1.199																																																		
8	2	9.564	1.179	1.179																																																		
9	2	9.544	1.169	1.169																																																		
10	2	9.504	1.149	1.149																																																		
11	2	9.464	1.129	1.129																																																		
12	2	9.424	1.109	1.109																																																		
13	2	9.384	1.089	1.089																																																		
14	2	9.344	1.069	1.069																																																		
15	2	9.304	1.049	1.049																																																		
16	2	9.284	1.039	1.039																																																		
17	2	9.244	1.019	1.019																																																		
18	2	9.204	0.999	0.999																																																		
19	2	9.184	0.989	0.989																																																		
20	2	9.144	0.969	0.969																																																		
21	2	9.124	0.959	0.959																																																		
22	2	9.084	0.939	0.939																																																		
23	2	9.064	0.929	0.929																																																		
24	2	9.024	0.909	0.909																																																		
25	2	9.004	0.899	0.899																																																		
26	2	8.964	0.879	0.879																																																		
27	2	8.944	0.869	0.869																																																		
28	2	8.924	0.859	0.859																																																		
29	2	8.884	0.839	0.839																																																		
30	2	8.864	0.829	0.829																																																		
31	2	8.844	0.819	0.819																																																		
32	2	8.824	0.809	0.809																																																		
33	2	8.804	0.799	0.799																																																		
34	2	8.764	0.779	0.779																																																		
35	2	8.744	0.769	0.769																																																		
36	2	8.724	0.759	0.759																																																		
37	2	8.704	0.749	0.749																																																		
38	2	8.684	0.739	0.739																																																		
39	4	8.664	0.729	0.729																																																		
40	2	8.644	0.719	0.719																																																		
41	2	8.624	0.709	0.709																																																		




Projekt: 1 1

/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: PREKLADNA KONSTRUKCIJA														
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]
						a	b	c	d	e	R	h		
1						Poz.	Kos.	Dolžina	-3-	-5-				
						42	2	8.604	0.699	0.699				
						43	4	8.584	0.689	0.689				
						44	2	8.564	0.679	0.679				
						45	4	8.544	0.669	0.669				
						46	2	8.524	0.659	0.659				
						47	4	8.504	0.649	0.649				
						48	4	8.484	0.639	0.639				
						49	6	8.464	0.629	0.629				
						50	8	8.444	0.619	0.619				
						51	22	8.424	0.609	0.609				
						52	8	8.444	0.619	0.619				
						53	6	8.464	0.629	0.629				
						54	4	8.484	0.639	0.639				
						55	4	8.504	0.649	0.649				
						56	2	8.524	0.659	0.659				
						57	4	8.544	0.669	0.669				
						58	2	8.564	0.679	0.679				
						59	4	8.584	0.689	0.689				
						60	2	8.604	0.699	0.699				
						61	2	8.624	0.709	0.709				
						62	2	8.644	0.719	0.719				
						63	4	8.664	0.729	0.729				
						64	2	8.684	0.739	0.739				
						65	2	8.704	0.749	0.749				
						66	2	8.724	0.759	0.759				
						67	2	8.744	0.769	0.769				
						68	2	8.764	0.779	0.779				
						69	2	8.804	0.799	0.799				
						70	2	8.824	0.809	0.809				
						71	2	8.844	0.819	0.819				
						72	2	8.864	0.829	0.829				
						73	2	8.884	0.839	0.839				
						74	2	8.924	0.859	0.859				
						75	2	8.944	0.869	0.869				
						76	2	8.964	0.879	0.879				
						77	2	9.004	0.899	0.899				
						78	2	9.024	0.909	0.909				
						79	2	9.064	0.929	0.929				
						80	2	9.084	0.939	0.939				
						81	2	9.124	0.959	0.959				
						82	2	9.144	0.969	0.969				
						83	2	9.184	0.989	0.989				
						84	2	9.204	0.999	0.999				
						85	2	9.244	1.019	1.019				
						86	2	9.284	1.039	1.039				
						87	2	9.304	1.049	1.049				
						88	2	9.344	1.069	1.069				
						89	2	9.384	1.089	1.089				
						90	2	9.424	1.109	1.109				
						91	2	9.464	1.129	1.129				
						92	2	9.504	1.149	1.149				
						93	2	9.524	1.159	1.159				
						94	2	9.564	1.179	1.179				
						95	2	9.604	1.199	1.199				
						96	2	9.664	1.229	1.229				
						97	2	9.704	1.249	1.249				
						98	2	9.744	1.269	1.269				
						99	2	9.784	1.289	1.289				
						100	6	9.824	1.309	1.309				
						101	8	9.804	1.299	1.299				
						102	4	9.784	1.289	1.289				
2	22	12.000	78	7	00	12.000								
						12.000							936.000	2894.112

Projekt: 1 1

/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: PREKLADNA KONSTRUKCIJA																																																																																																																																																																																																																											
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																																																																																																																																																																																																													
						a	b	c	d	e	R	h																																																																																																																																																																																																															
3	18	9.600	145	4	00	9.600							1392.000	2811.840																																																																																																																																																																																																													
						 <p style="text-align: center;">9.600</p>																																																																																																																																																																																																																					
4	16	3.740	290	4	99	 <p style="text-align: center;">2.800 0.800 86° 91°</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2.800</td> <td>0.000</td> <td>2.800</td> <td>86</td> </tr> <tr> <td>2</td> <td>0.011</td> <td>0.142</td> <td>0.140</td> <td>91</td> </tr> <tr> <td>3</td> <td>-0.800</td> <td>0.040</td> <td>0.800</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	2.800	0.000	2.800	86	2	0.011	0.142	0.140	91	3	-0.800	0.040	0.800		1084.600	1758.137																																																																																																																																																																																									
Št.	dx	dy	l	>°																																																																																																																																																																																																																							
1	2.800	0.000	2.800	86																																																																																																																																																																																																																							
2	0.011	0.142	0.140	91																																																																																																																																																																																																																							
3	-0.800	0.040	0.800																																																																																																																																																																																																																								
5	18	--	156	4	99	 <p style="text-align: center;">91° -2- 89° 1.000 1.000 89° -4- 91°</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>-0.025</td> <td>1.001</td> <td>0.160</td> <td>150</td> </tr> <tr> <td>2</td> <td>-1.310</td> <td>-0.000</td> <td>1.300</td> <td>89</td> </tr> <tr> <td>3</td> <td>0.025</td> <td>-1.001</td> <td>1.000</td> <td>89</td> </tr> <tr> <td>4</td> <td>1.310</td> <td>0.000</td> <td>1.310</td> <td>150</td> </tr> </tbody> </table> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Poz.</th> <th>Kos.</th> <th>Dolžina</th> <th>-2-</th> <th>-4-</th> </tr> </thead> <tbody> <tr><td>1</td><td>18</td><td>4.917</td><td>1.299</td><td>1.300</td></tr> <tr><td>2</td><td>27</td><td>4.937</td><td>1.309</td><td>1.310</td></tr> <tr><td>3</td><td>9</td><td>4.877</td><td>1.279</td><td>1.280</td></tr> <tr><td>4</td><td>9</td><td>4.797</td><td>1.239</td><td>1.240</td></tr> <tr><td>5</td><td>9</td><td>4.717</td><td>1.199</td><td>1.200</td></tr> <tr><td>6</td><td>9</td><td>4.637</td><td>1.159</td><td>1.160</td></tr> <tr><td>7</td><td>9</td><td>4.577</td><td>1.129</td><td>1.130</td></tr> <tr><td>8</td><td>9</td><td>4.497</td><td>1.089</td><td>1.090</td></tr> <tr><td>9</td><td>9</td><td>4.437</td><td>1.059</td><td>1.060</td></tr> <tr><td>10</td><td>9</td><td>4.377</td><td>1.029</td><td>1.030</td></tr> <tr><td>11</td><td>9</td><td>4.297</td><td>0.989</td><td>0.990</td></tr> <tr><td>12</td><td>9</td><td>4.237</td><td>0.959</td><td>0.960</td></tr> <tr><td>13</td><td>9</td><td>4.117</td><td>0.899</td><td>0.900</td></tr> <tr><td>14</td><td>9</td><td>4.017</td><td>0.849</td><td>0.850</td></tr> <tr><td>15</td><td>9</td><td>3.917</td><td>0.799</td><td>0.800</td></tr> <tr><td>16</td><td>9</td><td>3.837</td><td>0.759</td><td>0.760</td></tr> <tr><td>17</td><td>9</td><td>3.757</td><td>0.719</td><td>0.720</td></tr> <tr><td>18</td><td>9</td><td>3.697</td><td>0.689</td><td>0.690</td></tr> <tr><td>19</td><td>9</td><td>3.637</td><td>0.659</td><td>0.660</td></tr> <tr><td>20</td><td>9</td><td>3.597</td><td>0.639</td><td>0.640</td></tr> <tr><td>21</td><td>9</td><td>3.577</td><td>0.629</td><td>0.630</td></tr> <tr><td>22</td><td>9</td><td>3.557</td><td>0.619</td><td>0.620</td></tr> <tr><td>23</td><td>18</td><td>3.537</td><td>0.609</td><td>0.610</td></tr> <tr><td>24</td><td>9</td><td>3.557</td><td>0.619</td><td>0.620</td></tr> <tr><td>25</td><td>9</td><td>3.577</td><td>0.629</td><td>0.630</td></tr> <tr><td>26</td><td>9</td><td>3.597</td><td>0.639</td><td>0.640</td></tr> <tr><td>27</td><td>9</td><td>3.637</td><td>0.659</td><td>0.660</td></tr> <tr><td>28</td><td>9</td><td>3.697</td><td>0.689</td><td>0.690</td></tr> <tr><td>29</td><td>9</td><td>3.757</td><td>0.719</td><td>0.720</td></tr> <tr><td>30</td><td>9</td><td>3.837</td><td>0.759</td><td>0.760</td></tr> <tr><td>31</td><td>9</td><td>3.917</td><td>0.799</td><td>0.800</td></tr> <tr><td>32</td><td>9</td><td>4.017</td><td>0.849</td><td>0.850</td></tr> <tr><td>33</td><td>9</td><td>4.117</td><td>0.899</td><td>0.900</td></tr> <tr><td>34</td><td>9</td><td>4.237</td><td>0.959</td><td>0.960</td></tr> <tr><td>35</td><td>9</td><td>4.297</td><td>0.989</td><td>0.990</td></tr> </tbody> </table>							Št.	dx	dy	l	>°	1	-0.025	1.001	0.160	150	2	-1.310	-0.000	1.300	89	3	0.025	-1.001	1.000	89	4	1.310	0.000	1.310	150	Poz.	Kos.	Dolžina	-2-	-4-	1	18	4.917	1.299	1.300	2	27	4.937	1.309	1.310	3	9	4.877	1.279	1.280	4	9	4.797	1.239	1.240	5	9	4.717	1.199	1.200	6	9	4.637	1.159	1.160	7	9	4.577	1.129	1.130	8	9	4.497	1.089	1.090	9	9	4.437	1.059	1.060	10	9	4.377	1.029	1.030	11	9	4.297	0.989	0.990	12	9	4.237	0.959	0.960	13	9	4.117	0.899	0.900	14	9	4.017	0.849	0.850	15	9	3.917	0.799	0.800	16	9	3.837	0.759	0.760	17	9	3.757	0.719	0.720	18	9	3.697	0.689	0.690	19	9	3.637	0.659	0.660	20	9	3.597	0.639	0.640	21	9	3.577	0.629	0.630	22	9	3.557	0.619	0.620	23	18	3.537	0.609	0.610	24	9	3.557	0.619	0.620	25	9	3.577	0.629	0.630	26	9	3.597	0.639	0.640	27	9	3.637	0.659	0.660	28	9	3.697	0.689	0.690	29	9	3.757	0.719	0.720	30	9	3.837	0.759	0.760	31	9	3.917	0.799	0.800	32	9	4.017	0.849	0.850	33	9	4.117	0.899	0.900	34	9	4.237	0.959	0.960	35	9	4.297	0.989	0.990	667.680	1348.714
Št.	dx	dy	l	>°																																																																																																																																																																																																																							
1	-0.025	1.001	0.160	150																																																																																																																																																																																																																							
2	-1.310	-0.000	1.300	89																																																																																																																																																																																																																							
3	0.025	-1.001	1.000	89																																																																																																																																																																																																																							
4	1.310	0.000	1.310	150																																																																																																																																																																																																																							
Poz.	Kos.	Dolžina	-2-	-4-																																																																																																																																																																																																																							
1	18	4.917	1.299	1.300																																																																																																																																																																																																																							
2	27	4.937	1.309	1.310																																																																																																																																																																																																																							
3	9	4.877	1.279	1.280																																																																																																																																																																																																																							
4	9	4.797	1.239	1.240																																																																																																																																																																																																																							
5	9	4.717	1.199	1.200																																																																																																																																																																																																																							
6	9	4.637	1.159	1.160																																																																																																																																																																																																																							
7	9	4.577	1.129	1.130																																																																																																																																																																																																																							
8	9	4.497	1.089	1.090																																																																																																																																																																																																																							
9	9	4.437	1.059	1.060																																																																																																																																																																																																																							
10	9	4.377	1.029	1.030																																																																																																																																																																																																																							
11	9	4.297	0.989	0.990																																																																																																																																																																																																																							
12	9	4.237	0.959	0.960																																																																																																																																																																																																																							
13	9	4.117	0.899	0.900																																																																																																																																																																																																																							
14	9	4.017	0.849	0.850																																																																																																																																																																																																																							
15	9	3.917	0.799	0.800																																																																																																																																																																																																																							
16	9	3.837	0.759	0.760																																																																																																																																																																																																																							
17	9	3.757	0.719	0.720																																																																																																																																																																																																																							
18	9	3.697	0.689	0.690																																																																																																																																																																																																																							
19	9	3.637	0.659	0.660																																																																																																																																																																																																																							
20	9	3.597	0.639	0.640																																																																																																																																																																																																																							
21	9	3.577	0.629	0.630																																																																																																																																																																																																																							
22	9	3.557	0.619	0.620																																																																																																																																																																																																																							
23	18	3.537	0.609	0.610																																																																																																																																																																																																																							
24	9	3.557	0.619	0.620																																																																																																																																																																																																																							
25	9	3.577	0.629	0.630																																																																																																																																																																																																																							
26	9	3.597	0.639	0.640																																																																																																																																																																																																																							
27	9	3.637	0.659	0.660																																																																																																																																																																																																																							
28	9	3.697	0.689	0.690																																																																																																																																																																																																																							
29	9	3.757	0.719	0.720																																																																																																																																																																																																																							
30	9	3.837	0.759	0.760																																																																																																																																																																																																																							
31	9	3.917	0.799	0.800																																																																																																																																																																																																																							
32	9	4.017	0.849	0.850																																																																																																																																																																																																																							
33	9	4.117	0.899	0.900																																																																																																																																																																																																																							
34	9	4.237	0.959	0.960																																																																																																																																																																																																																							
35	9	4.297	0.989	0.990																																																																																																																																																																																																																							

Projekt: 1 1








/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: PREKLADNA KONSTRUKCIJA														
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]
						a	b	c	d	e	R	h		
5						Poz.	Kos.	Dolžina	-2-	-4-				
						36	9	4.357	1.019	1.020				
						37	9	4.437	1.059	1.060				
						38	9	4.497	1.089	1.090				
						39	9	4.577	1.129	1.130				
						40	9	4.637	1.159	1.160				
						41	9	4.717	1.199	1.200				
						42	9	4.797	1.239	1.240				
						43	9	4.877	1.279	1.280				
						44	18	4.937	1.309	1.310				
						45	18	4.917	1.299	1.300				
						46	9	4.897	1.289	1.290				
6	22	5.900	39	7	99	 1.200 4.700 Št. dx dy l >° r chord oblika Kot 1 1.200 0.000 1.200 9 60.606 4.699 0.046 4 2 4.668 0.534 4.700							230.100	711.469
7	22	5.900	39	7	99	 1.200 4.700 Št. dx dy l >° r chord oblika Kot 1 1.200 0.000 1.200 9 60.606 4.699 0.046 4 2 4.663 0.580 4.700							230.100	711.469
8	25	6.000	78	7	67	6.000				1507.421		468.000	1849.068	
						 6.000								
9	25	6.000	78	7	67	6.000				898.772		468.000	1849.068	
						 6.000								
10	18	12.000	39	4	67	12.000				898.779		468.000	945.360	
						 12.000								
11	22	6.000	78	7	67	6.000				898.735		468.000	1447.056	
						 6.000								
12	22	6.000	78	7	67	6.000				898.735		468.000	1447.056	
						 6.000								
13	16	6.000	62	4	00	6.000						372.000	603.012	
						 6.000								
14	16	8.600	80	4	00	8.600						688.000	1115.248	
						 8.600								

SOFISTIK AG - www.sofistik.de

Projekt: 1 1






/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: PREKLADNA KONSTRUKCIJA																																									
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																											
						a	b	c	d	e	R	h																													
15	14	2.120	148	4	99	 <table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>-0.998</td> <td>-0.060</td> <td>1.000</td> <td>85</td> </tr> <tr> <td>2</td> <td>-0.003</td> <td>-0.121</td> <td>0.120</td> <td>91</td> </tr> <tr> <td>3</td> <td>1.001</td> <td>0.000</td> <td>1.000</td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	1	-0.998	-0.060	1.000	85	2	-0.003	-0.121	0.120	91	3	1.001	0.000	1.000		313.760	389.690							
Št.	dx	dy	l	>°																																					
1	-0.998	-0.060	1.000	85																																					
2	-0.003	-0.121	0.120	91																																					
3	1.001	0.000	1.000																																						
16	18	3.000	145	4	00	3.000							435.000	878.700																											
																																									
17	20	5.700	40	7	00	5.700							228.000	563.160																											
																																									
18	18	2.900	10	4	99	 <table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> <th>r</th> <th>chord</th> <th>oblika</th> <th>Kot</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2.491</td> <td>-0.210</td> <td>2.500</td> <td>99</td> <td>43.346</td> <td>2.500</td> <td>0.018</td> <td>3</td> </tr> <tr> <td>2</td> <td>-0.043</td> <td>0.398</td> <td>0.400</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	r	chord	oblika	Kot	1	2.491	-0.210	2.500	99	43.346	2.500	0.018	3	2	-0.043	0.398	0.400						29.000	58.580
Št.	dx	dy	l	>°	r	chord	oblika	Kot																																	
1	2.491	-0.210	2.500	99	43.346	2.500	0.018	3																																	
2	-0.043	0.398	0.400																																						
19	18	2.900	10	4	99	 <table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> <th>r</th> <th>chord</th> <th>oblika</th> <th>Kot</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2.488</td> <td>-0.212</td> <td>2.500</td> <td>89</td> <td>14.098</td> <td>2.497</td> <td>0.055</td> <td>10</td> </tr> <tr> <td>2</td> <td>0.005</td> <td>0.400</td> <td>0.400</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	r	chord	oblika	Kot	1	2.488	-0.212	2.500	89	14.098	2.497	0.055	10	2	0.005	0.400	0.400						29.000	58.580
Št.	dx	dy	l	>°	r	chord	oblika	Kot																																	
1	2.488	-0.212	2.500	89	14.098	2.497	0.055	10																																	
2	0.005	0.400	0.400																																						
20	18	2.900	10	4	99	 <table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> <th>r</th> <th>chord</th> <th>oblika</th> <th>Kot</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0.217</td> <td>-0.336</td> <td>0.400</td> <td>91</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>2.192</td> <td>1.195</td> <td>2.500</td> <td></td> <td>13.725</td> <td>2.497</td> <td>0.057</td> <td>10</td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	r	chord	oblika	Kot	1	0.217	-0.336	0.400	91					2	2.192	1.195	2.500		13.725	2.497	0.057	10	29.000	58.580
Št.	dx	dy	l	>°	r	chord	oblika	Kot																																	
1	0.217	-0.336	0.400	91																																					
2	2.192	1.195	2.500		13.725	2.497	0.057	10																																	
21	18	2.900	10	4	99	 <table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> <th>r</th> <th>chord</th> <th>oblika</th> <th>Kot</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2.491</td> <td>0.202</td> <td>2.500</td> <td>-81</td> <td>42.987</td> <td>2.500</td> <td>0.018</td> <td>3</td> </tr> <tr> <td>2</td> <td>0.109</td> <td>-0.385</td> <td>0.400</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							Št.	dx	dy	l	>°	r	chord	oblika	Kot	1	2.491	0.202	2.500	-81	42.987	2.500	0.018	3	2	0.109	-0.385	0.400						29.000	58.580
Št.	dx	dy	l	>°	r	chord	oblika	Kot																																	
1	2.491	0.202	2.500	-81	42.987	2.500	0.018	3																																	
2	0.109	-0.385	0.400																																						

Projekt: 1 1






/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: PREKLADNA KONSTRUKCIJA

Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]
						a	b	c	d	e	R	h		
22	16	3.200	10	4	99	 <p>Št. dx dy l >° r chord oblika Kot 1 -1.000 0.002 1.000 101 2 0.213 -1.181 1.200 81 42.980 1.200 0.004 2 3 1.000 0.000 1.000</p>							32.000	51.872
23	20	5.500	40	7	00	5.500							220.000	543.400
														
24	16	3.200	10	4	99	 <p>Št. dx dy l >° r chord oblika Kot 1 0.005 1.000 1.000 94 2 -1.199 -0.033 1.200 91 13.720 1.200 0.013 5 3 0.000 -1.000 1.000</p>							32.000	51.872
25	16	3.200	9	4	99	 <p>Št. dx dy l >° 1 -0.044 -1.001 1.000 93 2 1.202 0.000 1.200 87 3 0.044 0.999 1.000</p>							28.800	46.685
26	16	3.200	8	4	99	 <p>Št. dx dy l >° 1 0.063 -0.998 1.000 86 2 1.203 0.000 1.200 94 3 -0.063 1.001 1.000</p>							25.600	41.498

Projekt: 1 1

/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: PREKLADNA KONSTRUKCIJA														
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]
						a	b	c	d	e	R	h		
27	18	2.890	9	4	99	 <p>Št. dx dy l >° 1 -0.018 -0.400 0.390 93 2 2.503 0.000 2.500</p>							26.010	52.540
28	18	2.900	9	4	15	0.400	2.500	0.400					26.100	52.722
														
29	18	2.900	8	4	99	 <p>Št. dx dy l >° r chord oblika Kot 1 0.219 -0.335 0.400 86 107.945 2.500 0.007 1 2 2.187 1.210 2.500</p>							23.200	46.864
30	18	2.900	8	4	99	 <p>Št. dx dy l >° r chord oblika Kot 1 0.205 -0.343 0.400 93 109.458 2.500 0.007 1 2 2.048 1.433 2.500</p>							23.200	46.864
31	14	2.780	124	4	99	 <p>Št. dx dy l >° r chord oblika Kot 1 -0.425 0.263 0.500 180 91892.821 1.000 0.000 0 2 -1.000 0.017 1.000 31 3 0.000 -1.000 1.000 180 0.140</p>							344.720	428.142

Skupna masa (kg) 28192.137