

Projekt: 1 1

/ 1

Podatki o projektu

Naslov : 1
 Komponenta : 1
 Št. načrta : 1
 Gradbena faza : PREHODNA PLOŠČA 1

All total length of bar profiles outer dimension

PALIČNA ARMATURA		Jeklo: B500B		Gradbena faza: PREHODNA PLOŠČA 1			
Poz.	Kom.	fi	Dolžina	D10	D12	D14	D16
151	48	12	3.710		178.080		
152	12	12	7.350		88.200		
153	38	16	0.870				33.060
154	118	14	3.620*			427.160	
155	248	10	0.750	186.000			
156	130	14	2.480*			322.400	
157	26	12	10.710*		278.460		
158	50	12	1.000		50.000		
159	38	12	8.180*		310.840		
160	64	10	0.710	45.440			

* = srednja

Skupna dolžina		231.440	905.580	749.560	33.060
kg / m		D10 0.638	D12 0.920	D14 1.242	D16 1.621
kg / d		147.659	833.134	930.954	53.590

Skupna masa (kg) 1965.337

Fiksne in standardne dolžine Jeklo: B500B Gradbena faza: PREHODNA PLOŠČA 1

fi(mm)	Skupna L	kg/m	Masa(kg)
12	677.500	0.920	623.300
14	749.560	1.242	930.954

Skupna masa (kg) 1554.254

strojno Jeklo: B500B Gradbena faza: PREHODNA PLOŠČA 1

fi(mm)	Skupna L	kg/m	Masa(kg)
10	231.440	0.638	147.659
12	228.080	0.920	209.834
16	33.060	1.621	53.590

Skupna masa (kg) 411.083

Povzetek izvlečka Jeklo: B500B Gradbena faza: PREHODNA PLOŠČA 1

Fiksne in standardne dolžine 1554.254
 strojno 411.083

Skupna masa (kg) 1965.337

Projekt: 1 1

/ 1

Podatki o projektu

Naslov : 1
 Komponenta : 1
 Št. načrta : 1
 Gradbena faza : PREHODNA PLOŠČA 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: PREHODNA PLOŠČA 1																																																											
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]																																													
						a	b	c	d	e	R	h																																															
151	12	3.710	48	4	99	<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr><td>1</td><td>-0.700</td><td>0.000</td><td>0.700</td><td>84</td></tr> <tr><td>2</td><td>-0.015</td><td>-0.149</td><td>0.140</td><td>96</td></tr> <tr><td>3</td><td>0.811</td><td>0.000</td><td>0.800</td><td>84</td></tr> <tr><td>4</td><td>0.063</td><td>0.647</td><td>0.640</td><td>91</td></tr> <tr><td>5</td><td>-0.089</td><td>0.007</td><td>0.080</td><td>31</td></tr> <tr><td>6</td><td>-0.488</td><td>-0.240</td><td>0.540</td><td>58</td></tr> <tr><td>7</td><td>-0.035</td><td>-0.364</td><td>0.360</td><td>96</td></tr> <tr><td>8</td><td>0.454</td><td>0.000</td><td>0.450</td><td></td></tr> </tbody> </table>							Št.	dx	dy	l	>°	1	-0.700	0.000	0.700	84	2	-0.015	-0.149	0.140	96	3	0.811	0.000	0.800	84	4	0.063	0.647	0.640	91	5	-0.089	0.007	0.080	31	6	-0.488	-0.240	0.540	58	7	-0.035	-0.364	0.360	96	8	0.454	0.000	0.450		178.080	163.834
Št.	dx	dy	l	>°																																																							
1	-0.700	0.000	0.700	84																																																							
2	-0.015	-0.149	0.140	96																																																							
3	0.811	0.000	0.800	84																																																							
4	0.063	0.647	0.640	91																																																							
5	-0.089	0.007	0.080	31																																																							
6	-0.488	-0.240	0.540	58																																																							
7	-0.035	-0.364	0.360	96																																																							
8	0.454	0.000	0.450																																																								
152	12	7.350	12	4	00	7.350							88.200	81.144																																													
						<p style="text-align: center;">7.350</p>																																																					
153	16	0.870	38	4	99	<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr><td>1</td><td>-0.100</td><td>0.000</td><td>0.100</td><td>90</td></tr> <tr><td>2</td><td>0.000</td><td>-0.150</td><td>0.150</td><td>90</td></tr> <tr><td>3</td><td>0.370</td><td>0.000</td><td>0.370</td><td>-90</td></tr> <tr><td>4</td><td>0.000</td><td>-0.150</td><td>0.150</td><td>-90</td></tr> <tr><td>5</td><td>-0.100</td><td>0.000</td><td>0.100</td><td></td></tr> </tbody> </table>							Št.	dx	dy	l	>°	1	-0.100	0.000	0.100	90	2	0.000	-0.150	0.150	90	3	0.370	0.000	0.370	-90	4	0.000	-0.150	0.150	-90	5	-0.100	0.000	0.100		33.060	53.590															
Št.	dx	dy	l	>°																																																							
1	-0.100	0.000	0.100	90																																																							
2	0.000	-0.150	0.150	90																																																							
3	0.370	0.000	0.370	-90																																																							
4	0.000	-0.150	0.150	-90																																																							
5	-0.100	0.000	0.100																																																								
154	14	--	118	4	00	3.600							427.160	530.533																																													
						<p style="text-align: center;">-a-</p> <table border="1"> <thead> <tr> <th>Poz.</th> <th>Kos.</th> <th>Dolžina</th> <th>-a-</th> </tr> </thead> <tbody> <tr><td>1</td><td>100</td><td>3.600</td><td>3.600</td></tr> <tr><td>2</td><td>18</td><td>3.700</td><td>3.700</td></tr> </tbody> </table>							Poz.	Kos.	Dolžina	-a-	1	100	3.600	3.600	2	18	3.700	3.700																																			
Poz.	Kos.	Dolžina	-a-																																																								
1	100	3.600	3.600																																																								
2	18	3.700	3.700																																																								
155	10	0.750	248	4	21	0.300	0.150	0.300					186.000	118.668																																													
						<p style="text-align: center;">0.300</p> <p style="text-align: center;">0.150</p> <p style="text-align: center;">0.300</p>																																																					

Projekt: 1 1

/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: PREHODNA PLOŠČA 1																																																																													
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika						Skupna dolžina	Masa [kg]																																																																
						a	b	c	d	e	R			h																																																															
156	14	--	130	4	00	2.580							322.400	400.421																																																															
						<p style="text-align: center;">-----</p> <p style="text-align: center;">-a-</p> <table border="1"> <thead> <tr> <th>Poz.</th> <th>Kos.</th> <th>Dolžina</th> <th>-a-</th> </tr> </thead> <tbody> <tr><td>1</td><td>12</td><td>2.580</td><td>2.580</td></tr> <tr><td>2</td><td>18</td><td>2.470</td><td>2.470</td></tr> <tr><td>3</td><td>66</td><td>2.400</td><td>2.400</td></tr> <tr><td>4</td><td>14</td><td>2.510</td><td>2.510</td></tr> <tr><td>5</td><td>12</td><td>2.610</td><td>2.610</td></tr> <tr><td>6</td><td>8</td><td>2.730</td><td>2.730</td></tr> </tbody> </table>						Poz.	Kos.	Dolžina	-a-	1	12	2.580	2.580	2	18	2.470	2.470	3	66	2.400	2.400	4	14	2.510	2.510	5	12	2.610	2.610	6	8	2.730	2.730																																						
Poz.	Kos.	Dolžina	-a-																																																																										
1	12	2.580	2.580																																																																										
2	18	2.470	2.470																																																																										
3	66	2.400	2.400																																																																										
4	14	2.510	2.510																																																																										
5	12	2.610	2.610																																																																										
6	8	2.730	2.730																																																																										
157	12	--	26	4	00	12.120							278.460	256.183																																																															
						<p style="text-align: center;">-----</p> <p style="text-align: center;">-a-</p> <table border="1"> <thead> <tr> <th>Poz.</th> <th>Kos.</th> <th>Dolžina</th> <th>-a-</th> </tr> </thead> <tbody> <tr><td>1</td><td>2</td><td>12.120</td><td>12.120</td></tr> <tr><td>2</td><td>2</td><td>11.860</td><td>11.860</td></tr> <tr><td>3</td><td>2</td><td>11.600</td><td>11.600</td></tr> <tr><td>4</td><td>2</td><td>11.350</td><td>11.350</td></tr> <tr><td>5</td><td>2</td><td>11.110</td><td>11.110</td></tr> <tr><td>6</td><td>2</td><td>10.880</td><td>10.880</td></tr> <tr><td>7</td><td>2</td><td>10.650</td><td>10.650</td></tr> <tr><td>8</td><td>2</td><td>10.440</td><td>10.440</td></tr> <tr><td>9</td><td>2</td><td>10.230</td><td>10.230</td></tr> <tr><td>10</td><td>2</td><td>10.030</td><td>10.030</td></tr> <tr><td>11</td><td>2</td><td>9.840</td><td>9.840</td></tr> <tr><td>12</td><td>2</td><td>9.650</td><td>9.650</td></tr> <tr><td>13</td><td>2</td><td>9.470</td><td>9.470</td></tr> </tbody> </table>						Poz.	Kos.	Dolžina	-a-	1	2	12.120	12.120	2	2	11.860	11.860	3	2	11.600	11.600	4	2	11.350	11.350	5	2	11.110	11.110	6	2	10.880	10.880	7	2	10.650	10.650	8	2	10.440	10.440	9	2	10.230	10.230	10	2	10.030	10.030	11	2	9.840	9.840	12	2	9.650	9.650	13	2	9.470	9.470										
Poz.	Kos.	Dolžina	-a-																																																																										
1	2	12.120	12.120																																																																										
2	2	11.860	11.860																																																																										
3	2	11.600	11.600																																																																										
4	2	11.350	11.350																																																																										
5	2	11.110	11.110																																																																										
6	2	10.880	10.880																																																																										
7	2	10.650	10.650																																																																										
8	2	10.440	10.440																																																																										
9	2	10.230	10.230																																																																										
10	2	10.030	10.030																																																																										
11	2	9.840	9.840																																																																										
12	2	9.650	9.650																																																																										
13	2	9.470	9.470																																																																										
158	12	1.000	50	4	99	<table border="1"> <thead> <tr> <th>Št.</th> <th>dx</th> <th>dy</th> <th>dz</th> <th>l</th> <th>>°</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.300</td><td>90</td></tr> <tr><td>2</td><td>0.300</td><td>0.000</td><td>0.000</td><td>0.100</td><td>-90</td></tr> <tr><td>3</td><td>0.300</td><td>0.100</td><td>0.000</td><td>0.200</td><td>-90</td></tr> <tr><td>4</td><td>0.300</td><td>0.100</td><td>0.200</td><td>0.100</td><td>90</td></tr> <tr><td>5</td><td>0.300</td><td>0.000</td><td>0.200</td><td>0.300</td><td></td></tr> <tr><td>6</td><td>0.600</td><td>0.000</td><td>0.200</td><td></td><td></td></tr> </tbody> </table>						Št.	dx	dy	dz	l	>°	1	0.000	0.000	0.000	0.300	90	2	0.300	0.000	0.000	0.100	-90	3	0.300	0.100	0.000	0.200	-90	4	0.300	0.100	0.200	0.100	90	5	0.300	0.000	0.200	0.300		6	0.600	0.000	0.200			50.000	46.000																						
Št.	dx	dy	dz	l	>°																																																																								
1	0.000	0.000	0.000	0.300	90																																																																								
2	0.300	0.000	0.000	0.100	-90																																																																								
3	0.300	0.100	0.000	0.200	-90																																																																								
4	0.300	0.100	0.200	0.100	90																																																																								
5	0.300	0.000	0.200	0.300																																																																									
6	0.600	0.000	0.200																																																																										
159	12	--	38	4	00	9.380							310.840	285.973																																																															
						<p style="text-align: center;">-----</p> <p style="text-align: center;">-a-</p> <table border="1"> <thead> <tr> <th>Poz.</th> <th>Kos.</th> <th>Dolžina</th> <th>-a-</th> </tr> </thead> <tbody> <tr><td>1</td><td>2</td><td>9.380</td><td>9.380</td></tr> <tr><td>2</td><td>2</td><td>9.210</td><td>9.210</td></tr> <tr><td>3</td><td>2</td><td>9.050</td><td>9.050</td></tr> <tr><td>4</td><td>2</td><td>8.890</td><td>8.890</td></tr> <tr><td>5</td><td>2</td><td>8.750</td><td>8.750</td></tr> <tr><td>6</td><td>2</td><td>8.610</td><td>8.610</td></tr> <tr><td>7</td><td>2</td><td>8.470</td><td>8.470</td></tr> <tr><td>8</td><td>2</td><td>8.340</td><td>8.340</td></tr> <tr><td>9</td><td>2</td><td>8.220</td><td>8.220</td></tr> <tr><td>10</td><td>2</td><td>8.110</td><td>8.110</td></tr> <tr><td>11</td><td>2</td><td>8.000</td><td>8.000</td></tr> <tr><td>12</td><td>4</td><td>7.790</td><td>7.790</td></tr> <tr><td>13</td><td>4</td><td>7.610</td><td>7.610</td></tr> <tr><td>14</td><td>4</td><td>7.460</td><td>7.460</td></tr> <tr><td>15</td><td>4</td><td>7.320</td><td>7.320</td></tr> </tbody> </table>						Poz.	Kos.	Dolžina	-a-	1	2	9.380	9.380	2	2	9.210	9.210	3	2	9.050	9.050	4	2	8.890	8.890	5	2	8.750	8.750	6	2	8.610	8.610	7	2	8.470	8.470	8	2	8.340	8.340	9	2	8.220	8.220	10	2	8.110	8.110	11	2	8.000	8.000	12	4	7.790	7.790	13	4	7.610	7.610	14	4	7.460	7.460	15	4	7.320	7.320		
Poz.	Kos.	Dolžina	-a-																																																																										
1	2	9.380	9.380																																																																										
2	2	9.210	9.210																																																																										
3	2	9.050	9.050																																																																										
4	2	8.890	8.890																																																																										
5	2	8.750	8.750																																																																										
6	2	8.610	8.610																																																																										
7	2	8.470	8.470																																																																										
8	2	8.340	8.340																																																																										
9	2	8.220	8.220																																																																										
10	2	8.110	8.110																																																																										
11	2	8.000	8.000																																																																										
12	4	7.790	7.790																																																																										
13	4	7.610	7.610																																																																										
14	4	7.460	7.460																																																																										
15	4	7.320	7.320																																																																										

Projekt: 1 1

/ 1

IZVLEČEK ARMATURE Jeklo: B500B Gradbena faza: PREHODNA PLOŠČA 1														
Poz.	fi	Dolžina	Kos.	dbr fi	Tip	Oblika							Skupna dolžina	Masa [kg]
						a	b	c	d	e	R	h		
160	10	0.710	64	4	21	0.300	0.110	0.300					45.440	28.991

Skupna masa (kg) 1965.336